



GARY SHAW ARCHITECTS

design + planning

1821 margaret st. austin, texas 78704  
off; (512)416-8471  
fax; (512)416-8478



11-19-12

KENEDY RETAIL

131 BUSINESS PARK DRIVE  
KENEDY, TEXAS  
78119

project no.

167.1201

date

11-19-12

scale

1/8"=1'-0"

revisions

FLOOR PLAN

sheet no.

A-2

FLOOR PLAN SYMBOLS

- ① DOOR TYPE & HARDWARE; SEE SPECS
- DS DOWNSPOUT
- ⊖ ELECTRICAL OUTLET; GROUND FAULT INTERCEPTOR
- HB † HOSE BIBB, RECESSED IN LOCKBOX
- CJ SIDEWALK CONTROL JOINT & EXPANSION JOINT
- EJ

FLOOR PLAN - KEY NOTES

- ① STEEL COLUMNS - SEE STRUCTURAL DRAWINGS
- ② CONCRETE FLOOR SLAB, SEE STRUCTURAL
- ③ CONTROL JOINT PATTERN, SEE STRUCTURAL (AS WELL AS COLUMN CENTER LINES)
- ④ ELECTRICAL METER AND DISCONNECT; SEE ELECTRICAL DRAWINGS
- ⑤ CONCRETE PREFABRICATED WHEEL STOP, ADD TWO #4 REBARS INTO CONCRETE FOR STABILIZATION

GENERAL NOTES

1. GC TO COORDINATE CIVIL AND ARCH. PLANS FOR PAVEMENT AND GRADING.
2. PROVIDE PORTABLE FIRE EXTINGUISHERS (NOT LESS THAN THREE A-10-BC) WITHIN 75' OF TRAVEL DISTANCE FROM ANY POINT IN BUILDING.
3. STAIN ALL HANDICAP RAMPS A CONTRASTING COLOR TO THE SIDEWALK COLOR (TERRA COTTA COLOR). NOTE, USE A CONCRETE STAIN.
4. TENANT IS RESPONSIBLE FOR FINISHING OUT ALL PERIMETER WALLS TO ROOF WITH R-13 UNFACED BATT INSULATION TO COMPLETE THE THERMAL ENVELOPE.

